

REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Reporting Currency: N/A

Currency Units: N/A

Special Instructions

For the reporting period between 1 July 2019 and 30 September 2019 – The SCA-RTS requires quarterly statistics to be published from 14 September 2019. Therefore for this reporting period, firms are only required to provide us with statistics between 14 September 2019 and 30 September 2019. These statistics for each PSU and dedicated interface must be entered in Days 76 to 92 and firms must enter 0 for all earlier days in the quarter (Days 1 to 75) except Uptime (%) which should be entered as 100.00.

For all subsequent reporting periods - The statistics must be entered from Day 1 and any surplus days at the end of the quarter (for example, Quarter 1 only contains 90 Days, and Quarter 2 contains 91 Days) can be left blank.

Percentage figures are to be provided to two decimal places, and milliseconds are to be provided as a whole number.

Multiple interface tables must be completed in Question 2 for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website. To add additional interface tables, please select the 'Number of interfaces to add' from the bottom of the form, then select 'Add'.

Do you wish to make a nil return?  No

Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A	B	E	C			
	Unity Trust Bank - Internet Banking		PSU Interface				
	Availability statistics		Performance statistics				
			Payment services user interface	Dedicated interface			
	Uptime (%)	Downtime (%)	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
Day	D	E	F	G	H	I	J
1	100.00	0.00	3174				
2	100.00	0.00	3544				
3	100.00	0.00	3620				
4	100.00	0.00	3441				
5	100.00	0.00	3863				
6	100.00	0.00	3913				
7	100.00	0.00	4152				
8	100.00	0.00	4196				
9	100.00	0.00	4334				
10	100.00	0.00	4410				
11	100.00	0.00	4265				
12	100.00	0.00	4176				
13	100.00	0.00	4412				
14	100.00	0.00	4311				
15	100.00	0.00	4677				
16	100.00	0.00	4846				
17	100.00	0.00	5106				
18	100.00	0.00	5171				
19	100.00	0.00	5578				
20	100.00	0.00	5218				
21	100.00	0.00	5189				
22	100.00	0.00	5147				
23	100.00	0.00	5319				
24	100.00	0.00	5081				
25	100.00	0.00	5033				
26	100.00	0.00	4956				
27	100.00	0.00	4958				
28	100.00	0.00	5048				
29	100.00	0.00	4886				
30	100.00	0.00	4594				
31	100.00	0.00	4706				
32	100.00	0.00	4657				
33	100.00	0.00	4654				
34	99.87	0.13	4530				
35	99.87	0.13	4622				
36	100.00	0.00	4298				
37	100.00	0.00	4283				
38	100.00	0.00	4190				
39	100.00	0.00	3950				
40	100.00	0.00	4216				
41	100.00	0.00	4186				
42	100.00	0.00	3986				
43	100.00	0.00	4235				
44	100.00	0.00	2828				
45	100.00	0.00	2798				
46	100.00	0.00	2732				
47	100.00	0.00	2825				
48	100.00	0.00	2995				
49	100.00	0.00	2843				
50	100.00	0.00	2877				
51	100.00	0.00	2852				
52	100.00	0.00	2910				
53	100.00	0.00	2867				
54	100.00	0.00	2805				
55	100.00	0.00	2941				
56	100.00	0.00	2820				
57	100.00	0.00	2915				
58	100.00	0.00	2762				
59	100.00	0.00	2800				
60	100.00	0.00	2848				
61	100.00	0.00	2794				
62	100.00	0.00	3006				
63	100.00	0.00	2885				
64	100.00	0.00	2853				
65	100.00	0.00	3021				
66	100.00	0.00	3033				
67	100.00	0.00	2872				
68	99.94	0.06	3109				
69	100.00	0.00	2853				
70	100.00	0.00	2922				
71	99.86	0.14	2980				
72	100.00	0.00	3142				
73	100.00	0.00	2954				
74	100.00	0.00	2290				
75	100.00	0.00	2045				
76	99.98	0.02	2130				
77	100.00	0.00	2028				
78	100.00	0.00	2031				
79	100.00	0.00	2054				
80	100.00	0.00	2026				
81	100.00	0.00	2084				
82	100.00	0.00	2095				
83	100.00	0.00	2145				
84	99.94	0.06	2057				
85	100.00	0.00	2021				
86	100.00	0.00	2057				
87	100.00	0.00	2079				
88	100.00	0.00	2084				
89	100.00	0.00	2147				
90	100.00	0.00	2202				
91	99.88	0.12	2027				
92	100.00	0.00	1967				

REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Reporting Currency: N/A

Currency Units: N/A

Special Instructions

For the reporting period between 1 July 2019 and 30 September 2019 – The SCA-RTS requires quarterly statistics to be published from 14 September 2019. Therefore for this reporting period, firms are only required to provide us with statistics between 14 September 2019 and 30 September 2019. These statistics for each PSU and dedicated interface must be entered in Days 76 to 92 and firms must enter 0 for all earlier days in the quarter (Days 1 to 75) except Uptime (%) which should be entered as 100.00.

For all subsequent reporting periods - The statistics must be entered from Day 1 and any surplus days at the end of the quarter (for example, Quarter 1 only contains 90 Days, and Quarter 2 contains 91 Days) can be left blank.

Percentage figures are to be provided to two decimal places, and milliseconds are to be provided as a whole number.

Multiple interface tables must be completed in Question 2 for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website. To add additional interface tables, please select the 'Number of interfaces to add' from the bottom of the form, then select 'Add'.

Do you wish to make a nil return?  No

Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A	B	E	C	D		
	Unity Trust Bank - Internet Banking		PSU Interface				
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
	D	E	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/I / PISP Yes/No response (milliseconds)	Error response rate (%)
			F	G	H	I	J
1	100.00	0.00	1444				
2	100.00	0.00	1432				
3	100.00	0.00	1434				
4	100.00	0.00	1434				
5	100.00	0.00	1433				
6	100.00	0.00	1438				
7	100.00	0.00	1448				
8	100.00	0.00	1430				
9	100.00	0.00	1450				
10	100.00	0.00	1455				
11	100.00	0.00	1438				
12	100.00	0.00	1447				
13	100.00	0.00	1442				
14	100.00	0.00	1432				
15	100.00	0.00	1428				
16	100.00	0.00	1431				
17	100.00	0.00	1430				
18	100.00	0.00	1429				
19	100.00	0.00	1435				
20	100.00	0.00	1428				
21	100.00	0.00	1425				
22	100.00	0.00	1423				
23	100.00	0.00	1435				
24	100.00	0.00	1427				
25	100.00	0.00	1428				
26	100.00	0.00	1430				
27	100.00	0.00	1423				
28	100.00	0.00	1426				
29	100.00	0.00	1421				
30	100.00	0.00	1422				
31	100.00	0.00	1434				
32	100.00	0.00	1424				
33	100.00	0.00	1437				
34	100.00	0.00	1435				
35	100.00	0.00	1421				
36	100.00	0.00	1428				
37	100.00	0.00	1423				
38	100.00	0.00	1421				
39	100.00	0.00	1420				
40	100.00	0.00	1423				
41	100.00	0.00	1417				
42	100.00	0.00	1415				
43	100.00	0.00	1415				
44	100.00	0.00	1417				
45	100.00	0.00	1418				
46	100.00	0.00	1417				
47	100.00	0.00	1414				
48	100.00	0.00	1415				
49	100.00	0.00	1412				
50	100.00	0.00	1413				
51	100.00	0.00	1416				
52	100.00	0.00	1414				
53	100.00	0.00	1414				
54	100.00	0.00	1316				
55	100.00	0.00	1309				
56	100.00	0.00	1307				
57	100.00	0.00	1305				
58	100.00	0.00	1306				
59	100.00	0.00	1310				
60	100.00	0.00	1314				
61	100.00	0.00	1308				
62	100.00	0.00	1310				
63	100.00	0.00	1305				
64	100.00	0.00	1305				
65	100.00	0.00	1308				
66	100.00	0.00	1311				
67	100.00	0.00	1315				
68	100.00	0.00	1313				
69	100.00	0.00	1308				
70	100.00	0.00	1305				
71	100.00	0.00	1303				
72	100.00	0.00	1307				
73	100.00	0.00	1307				
74	100.00	0.00	1296				
75	100.00	0.00	1275				
76	100.00	0.00	1277				
77	100.00	0.00	1273				
78	100.00	0.00	1273				
79	100.00	0.00	1272				
80	100.00	0.00	1273				
81	100.00	0.00	1271				
82	100.00	0.00	1274				
83	100.00	0.00	1274				
84	99.96	0.04	1273				
85	100.00	0.00	1272				
86	100.00	0.00	1283				
87	100.00	0.00	1274				
88	100.00	0.00	1279				
89	100.00	0.00	1286				
90	100.00	0.00	1281				
91	100.00	0.00	1274				
92	100.00	0.00	1275				

REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Reporting Currency: N/A

Currency Units: N/A

Special Instructions

For the reporting period between 1 July 2019 and 30 September 2019 – The SCA-RTS requires quarterly statistics to be published from 14 September 2019. Therefore for this reporting period, firms are only required to provide us with statistics between 14 September 2019 and 30 September 2019. These statistics for each PSU and dedicated interface must be entered in Days 76 to 92 and firms must enter 0 for all earlier days in the quarter (Days 1 to 75) except Uptime (%) which should be entered as 100.00.

For all subsequent reporting periods - The statistics must be entered from Day 1 and any surplus days at the end of the quarter (for example, Quarter 1 only contains 90 Days, and Quarter 2 contains 91 Days) can be left blank.

Percentage figures are to be provided to two decimal places, and milliseconds are to be provided as a whole number.

Multiple interface tables must be completed in Question 2 for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website. To add additional interface tables, please select the 'Number of interfaces to add' from the bottom of the form, then select 'Add'.

Do you wish to make a nil return?  A  
 No

Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface	Dedicated interface			
			Response (milliseconds) F	AISP response (milliseconds) G	PISP response (milliseconds) H	CBP/II / PISP Yes/No response (milliseconds) I	Error response rate (%) J
	Interface Name/Id A	Interface type B	Has exemption been granted for dedicated interface? C				
	Unity Trust - Dedicated Interface	Dedicated Interface	No				
1	100.00	0.00	212	0	0	0.00	
2	100.00	0.00	537	0	0	0.03	
3	100.00	0.00	226	0	0	0.00	
4	100.00	0.00	206	0	0	0.00	
5	100.00	0.00	198	0	0	0.00	
6	100.00	0.00	220	0	0	0.00	
7	100.00	0.00	188	0	0	0.00	
8	100.00	0.00	196	0	0	0.00	
9	100.00	0.00	1888	0	0	0.17	
10	100.00	0.00	204	0	0	0.00	
11	100.00	0.00	246	0	0	0.00	
12	99.99	0.01	195	0	0	0.00	
13	100.00	0.00	208	0	0	0.00	
14	100.00	0.00	213	0	0	0.00	
15	99.99	0.01	234	0	0	0.00	
16	100.00	0.00	1386	0	0	0.11	
17	100.00	0.00	231	0	0	0.00	
18	100.00	0.00	241	0	0	0.00	
19	100.00	0.00	246	0	0	0.00	
20	100.00	0.00	239	0	0	0.00	
21	100.00	0.00	255	0	0	0.00	
22	100.00	0.00	253	0	0	0.00	
23	100.00	0.00	2681	0	0	0.24	
24	100.00	0.00	260	0	0	0.00	
25	100.00	0.00	239	0	0	0.00	
26	100.00	0.00	267	0	0	0.00	
27	100.00	0.00	254	0	0	0.00	
28	100.00	0.00	228	0	0	0.00	
29	100.00	0.00	251	0	0	0.00	
30	100.00	0.00	2782	0	0	0.26	
31	100.00	0.00	225	0	0	0.00	
32	100.00	0.00	207	0	0	0.00	
33	100.00	0.00	251	0	0	0.00	
34	100.00	0.00	350	0	0	0.00	
35	100.00	0.00	227	0	0	0.00	
36	100.00	0.00	255	0	0	0.00	
37	100.00	0.00	1828	0	0	0.14	
38	100.00	0.00	577	0	0	0.00	
39	100.00	0.00	1442	0	0	0.00	
40	100.00	0.00	854	0	0	0.00	
41	100.00	0.00	261	0	0	0.00	
42	100.00	0.00	260	0	0	0.00	
43	100.00	0.00	261	0	0	0.00	
44	100.00	0.00	384	0	0	0.00	
45	100.00	0.00	255	0	0	0.00	
46	100.00	0.00	284	0	0	0.00	
47	100.00	0.00	252	0	0	0.00	
48	100.00	0.00	293	0	0	0.00	
49	100.00	0.00	279	0	0	0.00	
50	100.00	0.00	312	0	0	0.00	
51	100.00	0.00	947	0	0	0.06	
52	100.00	0.00	268	0	0	0.00	
53	100.00	0.00	261	0	0	0.00	
54	100.00	0.00	250	0	0	0.00	
55	100.00	0.00	558	0	0	0.01	
56	100.00	0.00	264	0	0	0.00	
57	100.00	0.00	317	0	0	0.00	
58	100.00	0.00	2013	0	0	0.17	
59	100.00	0.00	272	0	0	0.00	
60	100.00	0.00	235	0	0	0.00	
61	100.00	0.00	315	0	0	0.00	
62	100.00	0.00	244	0	0	0.00	
63	100.00	0.00	258	0	0	0.00	
64	100.00	0.00	700	0	0	0.00	
65	100.00	0.00	1576	0	0	0.10	
66	100.00	0.00	592	0	0	0.00	
67	100.00	0.00	519	0	0	0.00	
68	100.00	0.00	325	0	0	0.00	
69	100.00	0.00	411	0	0	0.00	
70	100.00	0.00	363	0	0	0.00	
71	100.00	0.00	477	0	0	0.00	
72	100.00	0.00	907	0	0	0.05	
73	100.00	0.00	257	0	0	0.00	
74	100.00	0.00	344	0	0	0.00	
75	100.00	0.00	258	0	0	0.00	
76	100.00	0.00	267	0	0	0.00	
77	100.00	0.00	243	0	0	0.00	
78	100.00	0.00	271	0	0	0.00	
79	100.00	0.00	570	0	0	0.03	
80	99.97	0.03	245	0	0	0.00	
81	100.00	0.00	251	0	0	0.00	
82	100.00	0.00	267	0	0	0.06	
83	100.00	0.00	361	0	0	0.03	
84	100.00	0.00	249	0	0	0.01	
85	100.00	0.00	255	0	0	0.00	
86	100.00	0.00	306	0	0	0.00	
87	100.00	0.00	253	0	0	0.00	
88	100.00	0.00	283	0	0	0.02	
89	100.00	0.00	249	0	0	0.06	
90	100.00	0.00	323	0	0	0.00	
91	100.00	0.00	283	0	0	0.00	
92	100.00	0.00	260	0	0	0.00	